

BRIVOLUXTECH

INTEGRATED SOLAR STREET LIGHT BLT-EFT01 SERIES

Smart Solar Lighting, Built for a Brighter Future



SOLAR POWERED

High-efficiency solar charging, zero electricity cost.



LARGE CAPACITY BATTERY

Long-lasting lighting, supports all-night operation.



HIGH BRIGHTNESS LED CHIPS

Super bright, wide illumination area, high lumen output.



IP66 WATERPROOF

Rugged design for outdoor use in all weather conditions.



RADAR CONTROL

Motion-sensing for automatic dimming and energy saving.



DURABLE & RELIABLE

ABS housing, anti-corrosion and built to last.

HIGH LUMEN OUTPUT

Up to 180LM/W

LONG WORKING TIME

24+ Hours

(Depending on Mode)

COLOR TEMPERATURE

3000K/4500K/7000K

3CCT

MOUNTING HEIGHT

3-5M

Ideal Installation

APPLICATIONS

Courtyards | Gardens | Driveways
Pathways | Patios | Residential Areas

BLT- EFT01 SERIES



BRIVOLUXTECH

INTEGRATED SOLAR STREET LIGHT BLT-EFT02 SERIES

Smart Solar Lighting, Built for a Brighter Future



SOLAR POWERED

High-efficiency solar charging, zero electricity cost.



LARGE CAPACITY BATTERY

Long-lasting lighting, supports all-night operation.



HIGH BRIGHTNESS LED CHIPS

Super bright, wide illumination area, high lumen output.



IP66 WATERPROOF

Rugged design for outdoor use in all weather conditions.



RADAR CONTROL

Motion-sensing for automatic dimming and energy saving.



DURABLE & RELIABLE

ABS housing, anti-corrosion and built to last.

HIGH LUMEN OUTPUT

Up to 180LM/W

LONG WORKING TIME

24+ Hours
(Depending on Mode)

COLOR TEMPERATURE

3000K/4500K/7000K
3CCT

MOUNTING HEIGHT

3-5M
Ideal Installation

APPLICATIONS

Courtyards | Gardens | Driveways
Pathways | Villas | Farmhouses
Residential Areas

BLT- EFT02 SERIES



BRIVOLUXTECH

SPLIT TYPE SOLAR STREET LIGHT BLT-HM03 SERIES

Smart Solar Lighting, Built for a Brighter Future



SOLAR POWERED

High-efficiency solar charging, zero electricity cost.



LARGE CAPACITY BATTERY

Long-lasting lighting, supports all-night operation.



HIGH BRIGHTNESS LED CHIPS

Super bright, wide illumination area, high lumen output.



IP66 WATERPROOF

Rugged design for outdoor use in all weather conditions.



LIGHT CONTROL

Intelligent light sensing for automatic on/off and brightness control.



DURABLE & RELIABLE

Aluminum alloy housing, anti-corrosion and built to last.

HIGH LUMEN OUTPUT

Up to 180LM/W

LONG WORKING TIME

3-4 Days
(Depending on Mode)

COLOR TEMPERATURE

6500K
Cool White

MOUNTING HEIGHT

3-10M
Ideal Installation

APPLICATIONS

Roads | Streets | Highways
Parks | Communities
Industrial Areas

BLT- HM03 SERIES



PRODUCT OVERVIEW

SOLAR STREET LIGHT SERIES

BLT-EFT01 SERIES

IMAGE	MODEL	PRODUCT NAME	BATTERY	WORKING TIME
	Model: BLT-EFT01-200	Smart Solar Courtyard Light	LiFePO4	24 Hours
	Model: BLT-EFT01-250	Solar Garden Area Light	LiFePO4	24 Hours
	Model: BLT-EFT01-300	Residential Solar Street Light	LiFePO4	24 Hours
	Model: BLT-EFT01-400	Solar Driveway Light	LiFePO4	24 Hours
	Model: BLT-EFT01-500	Solar Pathway Light	LiFePO4	24 Hours
	Model: BLT-EFT01-1000	Solar Landscape Area Light	LiFePO4	24 Hours
	Model: BLT-EFT01-1500	Solar Community Road Light	LiFePO4	24 Hours

PRODUCT OVERVIEW

SOLAR STREET LIGHT SERIES


BLT-EFT02 SERIES

IMAGE	MODEL	PRODUCT NAME	BATTERY	WORKING TIME
	Model: BLT-EFT02-300	Solar Estate Street Light	LiFePO4	24 Hours
	Model: BLT-EFT02-400	Solar Park Path Light	LiFePO4	24 Hours
	Model: BLT-EFT02-500	Solar Neighborhood Light	LiFePO4	24 Hours
	Model: BLT-EFT02-1000	Solar Walkway Area Light	LiFePO4	24 Hours
	Model: BLT-EFT02-1500	Solar Outdoor Security Light	LiFePO4	24 Hours

PRODUCT OVERVIEW

SOLAR STREET LIGHT SERIES

BLT-HM03 SERIES

IMAGE	MODEL	PRODUCT NAME	BATTERY	WORKING TIME
	Model: BLT-HM03-200	Smart Solar Road Light	LiFePO4	3-4 Days
	Model: BLT-HM03-400	Solar Street Area Light	LiFePO4	3-4 Days
	Model: BLT-HM03-600	Solar Highway Lighting System	LiFePO4	3-4 Days
	Model: BLT-HM03-800	Solar Industrial Area Light	LiFePO4	3-4 Days